




Office of Health Standards Compliance
Ensuring quality and safety in health care

Regulatory Tertiary Hospital Inspection Tool v1.0



Isolation Ward



Facility:
Date:

- **Tool Name:** Regulatory Tertiary Hospital Inspection Tool v1.0
- **HEs Type:** Hospitals
- **Sector:** Public
- **Specialization:** Tertiary
- **Created By:** Health Standards Development and Training

30 Isolation Ward

Domain 30.2 CLINICAL GOVERNANCE AND CLINICAL CARE

Sub Domain 30.2.1 6 User health records and management.

Standard 30.2.1.1 6(1) The health establishment must ensure that health records of health care users are protected, managed and kept confidential in line with section 14, 15 and 17 of the Act.

Criterion 30.2.1.1.1 6(2)(b) The health establishment must ensure confidentiality of health records.

30.2.1.1.1.1 Confidentiality of health records is maintained.

Assessment type: Observation - **Risk rating:** Essential measure

In line with section 14 of the National Health Act. Observe how user health records are managed in the unit and determine whether unauthorised individuals would be able to access the information in the health records. This includes but not limited to the health records of users admitted to the unit, health records being used for clinical audits or other administrative purposes or health records outside the records storage area or room of the unit for any other reason. Such records should be kept in a manner that safeguards against unauthorised access to the content of the health record. User records may be placed at the foot end of the bed but must not be left open for people to be able to read them when a health care provider is not present. Electronic records must be safeguarded with a password or any other security measures.

Not applicable: Never

Score	Comment

Standard 30.2.1.2 6(3) The health establishment must create and maintain a system of health records of users in accordance with the requirements of section 13 of the Act.

Criterion 30.2.1.2.1 6(4)(b) The health establishment must record information relating to the examination and health care interventions of users.

30.2.1.2.1.1 A clinical assessment and management plan for the user is recorded.

Assessment type: Patient record audit - **Risk rating:** Vital measure

Select three health records of users who have been admitted in the unit for at least three days at the time of inspection or health records from the previous month and verify compliance with statutory requirements for record keeping. Score 1 if the aspect is compliant and 0 if not compliant.

Score	Comment

Unit 1 User health record 1

Aspects	Score	Comment
1. Vital signs		
2. Physical examination findings		

3. DSM V (applicable to mental health care users only)		
4. Date of each entry		
5. Time of each entry		
6. Investigations requested (where applicable)		
7. Results of investigations requested		
8. Provisional diagnosis		
9. Treatment plan		
10. Nursing care plan		
11. Medicines administered		
12. Progress notes		
13. Designation of signatory		
14. Prescription for application of restraints (where applicable)		
15. Each entry signed by health care provider making entry		

Unit 2 User health record 2

Aspects	Score	Comment
1. Vital signs		
2. Physical examination findings		
3. DSM V (applicable to mental health care users only)		
4. Date of each entry		
5. Time of each entry		
6. Investigations requested (where applicable)		
7. Results of investigations requested		
8. Provisional diagnosis		
9. Treatment plan		
10. Nursing care plan		
11. Medicines administered		
12. Progress notes		
13. Designation of signatory		

14. Prescription for application of restraints (where applicable)		
15. Each entry signed by health care provider making entry		

Unit 3 User health record 3

Aspects	Score	Comment
1. Vital signs		
2. Physical examination findings		
3. DSM V (applicable to mental health care users only)		
4. Date of each entry		
5. Time of each entry		
6. Investigations requested (where applicable)		
7. Results of investigations requested		
8. Provisional diagnosis		
9. Treatment plan		
10. Nursing care plan		
11. Medicines administered		
12. Progress notes		
13. Designation of signatory		
14. Prescription for application of restraints (where applicable)		
15. Each entry signed by health care provider making entry		

Standard 30.2.1.3 6(5) The health establishment must have a formal process to be followed when obtaining informed consent from the user.

Criterion 30.2.1.3.1 6 A documented procedure which describes the information to be collected and discussed during the process to obtain informed consent is implemented, in accordance with Chapter 2 of the National Health Act (Section 7).

30.2.1.3.1.1 Informed consent forms are completed correctly.

Assessment type: Patient record audit - **Risk rating:** Vital measure

Select three health records of users who were seen at the time of inspection or health records from the previous three months and an informed consent for an operation, procedure or treatment was signed. Check whether the details listed below are recorded on the consent forms. Score 1 if the if recorded and 0 if it is not recorded.

Score	Comment

Unit 1 User health record 1

Aspects	Score	Comment
1. Names and surname of user		
2. Age, Identity number or date of birth of user		
3. The exact nature of operation/ procedure or treatment, including side, where relevant.		
4. Consent form is signed by user, the legal guardian or any person legally responsible for the user. Explanatory note: Signatory providing consent is legally entitled to give informed consent in accordance with section 7 of the National Health Act 61 of 2003, HPCSA, Booklet 4 and Section 129 of the Children's Act 38 of 2005.		
5. Consent form is signed by health care provider obtaining the consent. Explanatory note: This must be a health care provider legally entitled to obtain the consent in accordance with HPCSA booklet 4, section 4.		
6. Consent form is dated		
7. All entries on form are legible		

Unit 2 User health record 2

Aspects	Score	Comment
1. Names and surname of user		
2. Age, Identity number or date of birth of user		
3. The exact nature of operation/ procedure or treatment, including side, where relevant.		
4. Consent form is signed by user, the legal guardian or any person legally responsible for the user. Explanatory note: Signatory providing consent is legally entitled to give informed consent in accordance with section 7 of the National Health Act 61 of 2003, HPCSA, Booklet 4 and Section 129 of the Children's Act 38 of 2005.		
5. Consent form is signed by health care provider obtaining the consent. Explanatory note: This must be a health care provider legally entitled to obtain the consent in accordance with HPCSA booklet 4, section 4.		
6. Consent form is dated		
7. All entries on form are legible		

Unit 3 User health record 3

Aspects	Score	Comment
1. Names and surname of user		
2. Age, Identity number or date of birth of user		
3. The exact nature of operation/ procedure or treatment, including side, where relevant.		

4. Consent form is signed by user, the legal guardian or any person legally responsible for the user. Explanatory note: Signatory providing consent is legally entitled to give informed consent in accordance with section 7 of the National Health Act 61 of 2003, HPCSA, Booklet 4 and Section 129 of the Children's Act 38 of 2005.		
5. Consent form is signed by health care provider obtaining the consent. Explanatory note: This must be a health care provider legally entitled to obtain the consent in accordance with HPCSA booklet 4, section 4.		
6. Consent form is dated		
7. All entries on form are legible		

Sub Domain 30.2.2 7 Clinical management.

Standard 30.2.2.1 7(2) (b) A health establishment must establish and maintain systems, structures and programmes to manage clinical risk.

Criterion 30.2.2.1.1 7 Standardised procedures to identify and mitigate clinical risk must be implemented during the care of vulnerable users.

30.2.2.1.1.1 Risk assessments are conducted on users.

Assessment type: Patient record audit - **Risk rating:** Vital measure

Select three health records of users admitted in the unit at the time of inspection or health records from the previous month. Verify whether risk assessments are conducted. The formal risk assessments including but not limited to Waterlow or Norton scale and the Morse fall scale. Score 1 if the aspect is compliant and 0 if not compliant.

Score	Comment	
Aspects	Score	Comment
1. User health record 1		
2. User health record 2		
3. User health record 3		

Criterion 30.2.2.1.2 7 The health establishment must implement systems to ensure that blood and blood products are available and administered safely.

30.2.2.1.2.1 Administration of blood is recorded.

Assessment type: Patient record audit - **Risk rating:** Vital measure

Select the health records of three users admitted in the unit or health records from the previous month of users who had blood administered and verify whether the aspects listed below are documented. Score 1 if the aspect is documented and 0 if not documented.

Not applicable: If there were no users who had blood administered.

Score	Comment

Unit 1 User health record 1

Aspects	Score	Comment
1. Clinical indication for blood		

2. Type of blood required.		
3. Informed consent completed and signed.		
4. User documentation checked prior to administration of blood. Explanatory note: The blood type, rhesus factor, date when blood was donated, and expiry date must be crosschecked with the user information prior to administration of blood.		
5. Confirmation of user identity prior to administration of blood.		
6. User vital signs documented prior to administration of blood.		
7. User vital signs documented during administration of blood.		
8. User vital signs documented post administration of blood.		
9. Details of transfusion documented. Explanatory note: This must include the start and finish time, how many units were administered, any reaction, and observations.		

Unit 2 User health record 2

Aspects	Score	Comment
1. Clinical indication for blood		
2. Type of blood required.		
3. Informed consent completed and signed.		
4. User documentation checked prior to administration of blood. Explanatory note: The blood type, rhesus factor, date when blood was donated, and expiry date must be crosschecked with the user information prior to administration of blood.		
5. Confirmation of user identity prior to administration of blood.		
6. User vital signs documented prior to administration of blood.		
7. User vital signs documented during administration of blood.		
8. User vital signs documented post administration of blood.		
9. Details of transfusion documented. Explanatory note: This must include the start and finish time, how many units were administered, any reaction, and observations.		

Unit 3 User health record 3

Aspects	Score	Comment
1. Clinical indication for blood		
2. Type of blood required.		
3. Informed consent completed and signed.		

4. User documentation checked prior to administration of blood. Explanatory note: The blood type, rhesus factor, date when blood was donated, and expiry date must be crosschecked with the user information prior to administration of blood.		
5. Confirmation of user identity prior to administration of blood.		
6. User vital signs documented prior to administration of blood.		
7. User vital signs documented during administration of blood.		
8. User vital signs documented post administration of blood.		
9. Details of transfusion documented. Explanatory note: This must include the start and finish time, how many units were administered, any reaction, and observations.		

Criterion 30.2.2.1.3 7 Systems must be in place to facilitate user identification.

30.2.2.1.3.1 All users admitted to the unit wear identity bands.

Assessment type: Observation - **Risk rating:** Essential measure

Select three users in the unit and verify whether they are wearing identity bands in accordance with standard operating procedure.

Score 1 if users are wearing identification and 0 if not.

Score	Comment	
Aspects	Score	Comment
1. User 1		
2. User 2		
3. User 3		

Criterion 30.2.2.1.4 7 The management of emergency resuscitations must be guided and monitored to improve user outcomes.

30.2.2.1.4.1 Emergency trolley is stocked with medicines, medical supplies and equipment.

Assessment type: Observation - **Risk rating:** Non-negotiable measure

Inspect the contents of the emergency trolley against the aspects listed below. Score 1 if the aspect listed is available, functional and not expired (if applicable) and score 0 if the aspect is not available, not functional or expired (if applicable).

Score	Comment	
Aspects	Score	Comment
Devices to open and protect airway.		
1. Laryngoscope handle		
2. Curved blade for laryngoscope (a minimum of two different sizes as determined by the user profile seen in the unit and resuscitation protocol)		
3. Endotracheal tubes-adult (a minimum of three different sizes as determined by the user profile seen in the unit and resuscitation protocol)		

4. Oropharyngeal airway (a minimum of three different sizes as determined by the user profile seen in the unit and resuscitation protocol)		
5. Plaster or ties for endotracheal tubes		
6. Lubricating gel		
Equipment for difficult Intubation.		
7. Introducer		
8. Laryngeal mask airway (a minimum of three different sizes as determined by the user profile seen in the unit and resuscitation protocol)		
9. Magill forceps (adult)		
Devices to deliver oxygen/ventilate users.		
10. Manual resuscitator device or bag and valve mask (adult)		
11. Oxygen masks-rebreather		
12. Portable oxygen cylinder. Explanatory note: An oxygen cylinder fitted with a regulator to adjust the flowrate must be available.		
Equipment to diagnose and treat cardiac dysrhythmias.		
13. Automated external defibrillator (AED) with pads or defibrillator with conducting gel, pads, paddles and electrodes.		
14. Cardiopulmonary Resuscitation board		
Devices to gain intravascular access.		
15. Intravenous administration sets.		
16. IV Cannulae (a minimum of three different sizes)		
Medicine.		
17. Emergency medicines according to local protocol are available and have not expired		

30.2.2.1.4.2 The emergency trolley and emergency equipment is checked in accordance with agreed unit practice.

Assessment type: Document - **Risk rating:** Vital measure

Dirty linen must be stored in closed bags in a designated area (dirty linen room). The door of the dirty linen room must be kept closed and access to the room must be restricted. Reference: Practical Manual for Implementation of the National Infection Prevention and Control Strategic Framework 2020, page 70.

Not applicable: Never

Score	Comment

30.2.2.1.4.3 Medical supplies and equipment for resuscitation are available.

Assessment type: Observation - **Risk rating:** Vital measure

Inspect whether medical supplies and equipment used for resuscitation is available. The items may be available in the trolley or vicinity of the trolley. Score 1 if the aspect listed is available, functional and not expired (if applicable) and score 0 if the aspect is not available, not functional or expired (if applicable).

Score	Comment	
Aspects	Score	Comment
1. Chlorhexidine or Alcohol swabs		
2. Eye protection		
3. Facemask		
4. Gloves		
5. Spare batteries for laryngoscope		
6. Spare bulb (where applicable)		
7. Syringe (a minimum of three different sizes)		
8. Catheter tip syringe 50ml		
9. Needles (a minimum of three different sizes)		
10. Scissors		
11. Tourniquet		
12. Stethoscope		
13. Nasogastric tubes (a minimum of three different sizes)		
14. Suction catheters (a minimum of three different sizes)		
15. Suction devices (portable)		
16. Yankhauer suction		
17. Nasal cannula		
18. Blood administration set		
19. Local resuscitation protocol or Resuscitation Algorithm		

Criterion 30.2.2.1.5 7 Procedures to minimise the risk of health care-associated infections must be implemented.

30.2.2.1.5.1 The incidence of commonly occurring health care-associated infections is monitored monthly.

Assessment type: Document - **Risk rating:** Vital measure

Users receiving care in the isolation unit are at high risk of contracting health care-associated infections and are at high risk of significant harm from such infections. The occurrence of health care-associated infections must be monitored closely and reported to the infection prevention and control team for analysis and interpretation.

Not applicable: Never

Score	Comment

30.2.2.1.5.2 Action is taken to improve compliance where gaps are identified.

Assessment type: Document - **Risk rating:** Vital measure

Should the audit demonstrate incomplete adherence to the procedures, action must be taken to improve compliance. This includes, but is not limited to, quality improvement plans.

Not applicable: Where no gaps are identified.

Score	Comment

30.2.2.1.5.3 Procedures to reduce the incidence of commonly occurring health care-associated infections are implemented.

Assessment type: Document - **Risk rating:** Vital measure

This includes, but is not limited to, the implementation of care bundles, such as catheter-acquired urinary tract infection (CAUTI), central line-associated bloodstream infection (CLABSI), surgical site infection (SSI).

Not applicable: Never

Score	Comment

30.2.2.1.5.4 The storage of sterile packs ensures the integrity of materials.

Assessment type: Observation - **Risk rating:** Essential measure

The manner in which sterile packs are stored must prevent physical damage to packages, avoid exposure of packages to moisture. Packages should not be stored in a manner that will crush, bend, puncture, or compress them. Therefore, packs should not be wet or have water damage, they should be intact (not opened or torn).

Not applicable: Where sterile packs are not kept in the unit.

Score	Comment

Criterion 30.2.2.1.6 7 The management of used and soiled linen must meet infection prevention and control requirements.

30.2.2.1.6.1 The unit has a designated, access-controlled area for the storage of dirty linen.

Assessment type: Observation - **Risk rating:** Essential measure

Dirty linen must be stored in closed bags in a designated area (dirty linen room). The door of the dirty linen room must be kept closed and access to the room must be restricted. Reference: Practical Manual for Implementation of the National Infection Prevention and Control Strategic Framework 2020, page 70.

Not applicable: Never

Score	Comment

Criterion 30.2.2.1.7 7 The health establishment must have a functional quality management system.

30.2.2.1.7.1 Quality improvement plans are developed by health care personnel.

Assessment type: Document - **Risk rating:** Vital measure

Request the quality improvement plan of the unit from the previous six months. Verify whether the aspects listed below are documented. Score 1 if aspect is documented and 0 if not. Score not applicable where no gaps have been identified.

Score	Comment

Aspects	Score	Comment
1. Gaps identified		
2. Activities required to address gaps		
3. Health care personnel responsible		
4. Time frames		

30.2.2.1.7.2 Corrective action has been taken to improve the quality of service provided where gaps are identified.

Assessment type: Patient record audit - **Risk rating:** Vital measure

Evidence must be available that the action specified in the quality improvement plan was implemented.

Not applicable: Where there were no gaps identified.

Score	Comment

Sub Domain 30.2.3 8 Infection prevention and control programmes.

Standard 30.2.3.1 8(1) The health establishment must maintain an environment, which minimises the risk of disease outbreaks, the transmission of infection to users, health care personnel and visitors.

Criterion 30.2.3.1.1 8(2)(a) The health establishment must ensure that there are hand washing facilities in every service area.

30.2.3.1.1.1 Hand washing facilities are available.

Assessment type: Observation - **Risk rating:** Vital measure

Select three areas in the unit and inspect the handwashing facilities for the items listed below. Score 1 If the item is available and 0 if not available.

Score	Comment

Unit 1 Area 1

Aspects	Score	Comment
1. Functional hand wash basin. Explanatory note: The basin should not be blocked, broken, or have cracks.		
2. Taps are functional and not broken. Explanatory Note: Taps must be elbow or non-touch operated in user care areas, except in toilets.		
3. Plain liquid soap		
4. Wall mounted soap dispenser		
5. Paper towel dispenser with disposable hand paper towels		
6. General waste container. Explanatory note: Containers used for the temporary storage of general waste should be leak proof, intact, corrosive resistant and have a tight-fitting lid. The container must be lined with the appropriate colour coded liner. (Practical Manual: Implementation of the National Infection Prevention and Control Strategic Framework page 82 and page 84).		

Unit 2 Area 2

Aspects	Score	Comment
1. Functional hand wash basin. Explanatory note: The basin should not be blocked, broken, or have cracks.		
2. Taps are functional and not broken. Explanatory Note: Taps must be elbow or non-touch operated in user care areas, except in toilets.		
3. Plain liquid soap		
4. Wall mounted soap dispenser		
5. Paper towel dispenser with disposable hand paper towels		
6. General waste container. Explanatory note: Containers used for the temporary storage of general waste should be leak proof, intact, corrosive resistant and have a tight-fitting lid. The container must be lined with the appropriate colour coded liner. (Practical Manual: Implementation of the National Infection Prevention and Control Strategic Framework page 82 and page 84).		

Unit 3 Area 3

Aspects	Score	Comment
1. Functional hand wash basin. Explanatory note: The basin should not be blocked, broken, or have cracks.		
2. Taps are functional and not broken. Explanatory Note: Taps must be elbow or non-touch operated in user care areas, except in toilets.		
3. Plain liquid soap		
4. Wall mounted soap dispenser		
5. Paper towel dispenser with disposable hand paper towels		
6. General waste container. Explanatory note: Containers used for the temporary storage of general waste should be leak proof, intact, corrosive resistant and have a tight-fitting lid. The container must be lined with the appropriate colour coded liner. (Practical Manual: Implementation of the National Infection Prevention and Control Strategic Framework page 82 and page 84).		

30.2.3.1.1.2 Alcohol based hand rub is available.

Assessment type: Observation - **Risk rating:** Vital measure

Select three areas and observe whether alcohol-based hand rub is available. Score 1 if available and 0 if not available.

Score	Comment

Aspects	Score	Comment

1. Area 1		
2. Area 2		
3. Area 3		

30.2.3.1.1.3 Posters on hand hygiene are displayed.

Assessment type: Observation - **Risk rating:** Essential measure

Select three areas and observe whether posters on hand hygiene are displayed. This could be a single hand hygiene poster or individual posters for hand washing or correct use of alcohol-based hand rub. Score 1 if available and 0 if not available.

Score	Comment	
Aspects	Score	Comment
1. Area 1		
2. Area 2		
3. Area 3		

Criterion 30.2.3.1.2 8(2)(b) The health establishment must provide isolation units or cubicles where users with contagious infections can be accommodated.

30.2.3.1.2.1 Isolation room for users with viral haemorrhagic disease meets the requirements.

Assessment type: Observation - **Risk rating:** Vital measure

Assess whether the isolation area for users with viral haemorrhagic fever complies with the requirements listed below. Score 1 if the aspect is compliant and 0 if not compliant.

Score	Comment	
Aspects	Score	Comment
General requirements to be inspected at all times.		
1. Users with viral haemorrhagic fever to be accommodated in separate single rooms (strict isolation measures)		
2. Alcohol based hand rub is available for health care personnel prior to entering the room		
Requirement to be inspected only if there is a user isolated in the room.		
3. People traffic in and out of the room to be controlled (i.e. limited number of visitors and personnel)		
4. Signs to affix to room door to indicate type of precautions in place, i.e. airborne, contact or droplet.		
5. Disinfectant is available to disinfect surfaces		
6. Forms to be completed prior to entering room. Explanatory note: This is for viral haemorrhagic fevers only. See Appendix E in the Practical Manual for implementation of the National Infection Prevention and Control Strategic Framework.		

7. Hand wash basin with elbow-operated taps inside room		
8. Alcohol based hand rub or disinfectant inside room		
9. Disposable gloves inside room		
10. Procedure trolley with equipment for phlebotomy, intravenous line insertion, wound dressings and thermometer		
11. Bio-hazardous tape for labelling of specimens prior to transporting		
12. Bin with close-fitting lid		
13. Health care risk waste container		
14. Sharps container		
15. Separate toilet facilities. Explanatory note: This may be a dedicated commode, or urinal and bedpan.		
16. Appropriate measures for discarding infected linen.		

30.2.3.1.2.2 Terminal cleaning is carried out in isolation rooms.

Assessment type: Document - **Risk rating:** Vital measure

The infection prevention and control link nurse or champion is responsible for ensuring that rooms used for the care of users with infections requiring isolation are adequately cleaned and decontaminated after the user has been moved out of the isolation room. Request documented evidence from the previous three months, this may include but not limited to clearance certificate from the IPC team or checklist for terminal cleaning of isolation rooms completed and signed by the IPC co-ordinator or unit/health facility manager. (Practical Manual for implementation of National IPC Strategic Framework March 2020 page 107).

Not applicable: Never

Score	Comment

Criterion 30.2.3.1.3 8(2)(c) The health establishment must ensure there is clean linen to meet the needs of users.

30.2.3.1.3.1 The unit manager has determined the linen requirements for the unit.

Assessment type: Document - **Risk rating:** Essential measure

It is necessary to determine the linen requirements for the unit, to ensure sufficient linen is available, i.e. the number of linen items required to ensure that all users have clean linen and are warm enough during their stay in the unit. It is also necessary to determine how many linen items must be available in the linen storage area for routine linen changes, and to respond to episodes of dirtying or soiling of linen. A document indicating linen requirements for the unit must be available.

Not applicable: Never

Score	Comment

30.2.3.1.3.2 Linen rooms or storage cupboards are adequately stocked and well organised.

Assessment type: Observation - **Risk rating:** Essential measure

Inspect the area where linen is stored to determine whether the aspects listed below are compliant. Score 1 if the aspect is compliant and 0 if not compliant.

Score	Comment

Aspects	Score	Comment
1. Designated area for storage of linen.		
2. Linen is stored on shelves.		
3. Area is well organised.		
4. Clean linen is available.		

Criterion 30.2.3.1.4 8(2)(d) The health establishment must ensure that health care personnel are protected from acquiring infections through the use of personal protective equipment and prophylactic immunisations.

30.2.3.1.4.1 Personal protective equipment is worn.

Assessment type: Observation - **Risk rating:** Vital measure

Using the checklist below, verify whether protective clothing and equipment is worn. Score 1 if the items are worn and 0 if not worn.

Not applicable: Where, at the time of the inspection, personnel are not in a situation in which they are required to wear protective clothing.

Score	Comment

Unit 1 Area 1

Aspects	Score	Comment
1. Non-sterile or sterile gloves		
2. Scrub suits. Explanatory note: Scrub suits should preferably be disposable		
3. Fluid-resistant disposable gowns		
4. Protective face shields or goggles		
5. Face masks or N95 or KN95 or FFP2 respirators or approved equivalent		
6. Head gear. Explanatory note: Coveralls with a neck flap and attached hood are recommended to prevent splashes coming into contact with the skin.		
7. Gumboots or disposable, fluid-resistant, knee-length overboots		

Unit 2 Area 2

Aspects	Score	Comment
1. Non-sterile or sterile gloves		
2. Scrub suits. Explanatory note: Scrub suits should preferably be disposable		
3. Fluid-resistant disposable gowns		
4. Protective face shields or goggles		

5. Face masks or N95 or KN95 or FFP2 respirators or approved equivalent		
6. Head gear. Explanatory note: Coveralls with a neck flap and attached hood are recommended to prevent splashes coming into contact with the skin.		
7. Gumboots or disposable, fluid-resistant, knee-length overboots		

Unit 3 Area 3

Aspects	Score	Comment
1. Non-sterile or sterile gloves		
2. Scrub suits. Explanatory note: Scrub suits should preferably be disposable		
3. Fluid-resistant disposable gowns		
4. Protective face shields or goggles		
5. Face masks or N95 or KN95 or FFP2 respirators or approved equivalent		
6. Head gear. Explanatory note: Coveralls with a neck flap and attached hood are recommended to prevent splashes coming into contact with the skin.		
7. Gumboots or disposable, fluid-resistant, knee-length overboots		

Sub Domain 30.2.4 9 Waste management.

Standard 30.2.4.1 9(1) The health establishment must ensure that waste is handled, stored, and disposed of safely in accordance with the law.

Criterion 30.2.4.1.1 9(2)(a) The health establishment must have appropriate waste containers at the point of waste generation.

30.2.4.1.1.1 The unit has appropriate containers for the disposal of all types of waste.

Assessment type: Observation - **Risk rating:** Vital measure

Verify whether the waste containers listed below are available. Health care risk waste containers must have the appropriate international hazard symbol and be marked as prescribed in SANS 10248-1: Management of Health Care Waste, Part 1: Management of healthcare risk waste from a health facility. Score 1 if the waste container is available and 0 if not available. Where a particular type of waste is not generated in the unit, score not applicable.

Score	Comment	
Aspects	Score	Comment
1. Infectious non-anatomical waste (red)		
2. Sharps (yellow)		
3. General waste (black, beige, white or transparent packaging can be used)		

Criterion 30.2.4.1.2 9(2)(b) The health establishment must implement procedures for the collection, handling, storage and disposal of waste.

30.2.4.1.2.1 Sharps are safely managed and discarded.

Assessment type: Observation - **Risk rating:** Vital measure

Select three clinical areas in the isolation unit and verify whether sharps and needles are correctly managed. Score 1 if the aspect is compliant and 0 if not compliant. Note that some units might not have three clinical areas.

Score	Comment

Unit 1 Clinical area 1

Aspects	Score	Comment
1. Sharps containers available at site of use		
2. Sharps containers have correctly fitting lids.		
3. Needles are not recapped before disposal (not applicable where safety engineered devices, i.e. built-in safety devices for recapping or retracting the needle are used). Explanatory note: This does not apply where it is not possible to see inside the sharps container.		
4. Syringes with attached needles are discarded in their entirety.		

Unit 2 Clinical area 2

Aspects	Score	Comment
1. Sharps containers available at site of use		
2. Sharps containers have correctly fitting lids.		
3. Needles are not recapped before disposal (not applicable where safety engineered devices, i.e. built-in safety devices for recapping or retracting the needle are used). Explanatory note: This does not apply where it is not possible to see inside the sharps container.		
4. Syringes with attached needles are discarded in their entirety.		

Unit 3 Clinical area 3

Aspects	Score	Comment
1. Sharps containers available at site of use		
2. Sharps containers have correctly fitting lids.		
3. Needles are not recapped before disposal (not applicable where safety engineered devices, i.e. built-in safety devices for recapping or retracting the needle are used). Explanatory note: This does not apply where it is not possible to see inside the sharps container.		
4. Syringes with attached needles are discarded in their entirety.		

Domain 30.3 CLINICAL SUPPORT SERVICES

Sub Domain 30.3.1 10 Medicines and medical supplies.

Standard 30.3.1.1 10(1) The health establishment must comply with the provisions of the Pharmacy Act, 1974 and the Medicines and Related Substances Act, 1965.

Criterion 30.3.1.1.1 10(2)(a) The health establishment must implement and maintain a stock control system for medicine and medical supplies.

30.3.1.1.1.1 The stock control system shows minimum and maximum levels and/or reorder levels for medicine.

Assessment type: Observation - **Risk rating:** Essential measure

Randomly sample five items held as stock and verify whether minimum, maximum and/or reorder levels are documented. The levels must be recorded on the bin cards or equivalent. The system may be manual or electronic. Score 1 if compliant and 0 if not compliant.

Score	Comment		
Aspects	Score	Comment	
1. Item 1			
2. Item 2			
3. Item 3			
4. Item 4			
5. Item 5			

30.3.1.1.1.2 Stock levels of medicine on the shelves correspond with recorded stock levels in the stock control system.

Assessment type: Observation - **Risk rating:** Essential measure

Randomly sample five items held as stock and verify the number of items available against the balance indicated on the bin cards or equivalent. The system may be manual or electronic. Score 1 if compliant and 0 if not compliant.

Score	Comment		
Aspects	Score	Comment	
1. Item 1			
2. Item 2			
3. Item 3			
4. Item 4			
5. Item 5			

30.3.1.1.1.3 Schedule 5 and 6 medicines in stock correspond with the balance recorded in the register.

Assessment type: Observation - **Risk rating:** Vital measure

Select three medicines from the schedule 5 and 6 medicine cupboard and verify whether the quantity available corresponds with the balance recorded in the register. Score 1 if there is correspondence 0 if not.

Score	Comment

Aspects	Score	Comment
1. Medicine 1		
2. Medicine 2		
3. Medicine 3		

30.3.1.1.1.4 The stock control system shows minimum and maximum levels and/or reorder levels for medical supplies.

Assessment type: Observation - **Risk rating:** Essential measure

Randomly sample five items held as stock and verify whether minimum, maximum and/or reorder levels are documented. The levels must be recorded on the bin cards or equivalent. The system may be manual or electronic. Score 1 if compliant and 0 if not compliant.

Score	Comment	
Aspects	Score	Comment
1. Item 1		
2. Item 2		
3. Item 3		
4. Item 4		
5. Item 5		

30.3.1.1.1.5 Physical stock of medical supplies corresponds with stock control system.

Assessment type: Observation - **Risk rating:** Essential measure

Randomly sample five items held as stock and verify whether their availability corresponds with the balance indicated on the bin cards or equivalent. The system may be manual or electronic. Score 1 if there is correspondence and 0 if not.

Score	Comment	
Aspects	Score	Comment
1. Item 1		
2. Item 2		
3. Item 3		
4. Item 4		
5. Item 5		

30.3.1.1.1.6 The entries in the schedule 5 and 6 drug registers are complete.

Assessment type: Document - **Risk rating:** Vital measure

All columns in the registers must be completed comprehensively. Any omitted information noted during the review of the register will receive a non-compliant score. Verify whether all sections of the register have been completed.

Not applicable: Never

Score	Comment

Criterion 30.3.1.1.2 10(2)(b) The health establishment must ensure the availability of medicines and medical supplies for the delivery of services.

30.3.1.1.2.1 Basic medical supplies (consumables) are available.

Assessment type: Observation - **Risk rating:** Vital measure

Request the list of medical supplies/consumables for the unit and randomly sample five items from each of the categories listed below and check whether the sampled items are available and not expired (where applicable). Document the name of the non-compliant items that were sampled. Score 1 if the sampled item is available and not expired (where applicable) or 0 if not available or expired or if there is no list of medical supplies/consumables available.

Score	Comment
Aspects	Score Comment
Surgical supplies	
1. Item 1	
2. Item 2	
3. Item 3	
4. Item 4	
5. Item 5	
Dressing supplies	
6. Item 1	
7. Item 2	
8. Item 3	
9. Item 4	
10. Item 5	
Laboratory supplies	
11. Item 1	
12. Item 2	
13. Item 3	

14. Item 4		
15. Item 5		
Other supplies		
16. Item 1		
17. Item 2		
18. Item 3		
19. Item 4		
20. Item 5		

Sub Domain 30.3.3 12 Blood services.

Standard 30.3.3.1 12(1) Hospitals and CHCs must ensure that users have access to blood and blood products when required.

Criterion 30.3.3.1.1 12(2)(c) The health establishment must ensure that adverse blood reactions are reported to a committee in the health establishment that monitor adverse incidents.

30.3.3.1.1.1 All adverse blood reactions are reported to relevant forum.

Assessment type: Document - **Risk rating:** Vital measure

Manual or electronic minutes from the previous quarter must reflect that the forum has been informed of all adverse blood reactions and that it has considered and discussed the reported incidents. If no incidents were reported, zero reporting must be done.

Not applicable: Where no adverse blood reactions have occurred and there is evidence of zero reporting.

Score	Comment

30.3.3.1.1.2 Corrective action is taken where adverse blood reactions were reported.

Assessment type: Document - **Risk rating:** Vital measure

Documented evidence of the corrective actions taken to prevent recurring adverse blood reactions. If no incidents occurred in the previous quarter, zero reporting must be done.

Not applicable: Where no adverse blood reactions were reported.

Score	Comment

Sub Domain 30.3.2 13 Medical equipment.

Standard 30.3.2.1 13(1) Health establishments must ensure that the medical equipment is available and functional in compliance with the law.

Criterion 30.3.2.1.1 13(2)(b) The health establishment must ensure that equipment is in accordance with the essential equipment list in all clinical service areas.

30.3.2.1.1.1 Functional essential medical equipment is available in the unit.

Assessment type: Observation - **Risk rating:** Vital measure

Request the list of medical equipment for the unit and randomly sample ten different items on the equipment list. Check whether the sampled equipment is available and functional. Document the name of the non-compliant equipment that was sampled. Score 1 if the sampled item is available and functional or 0 if not available or not functional or if the list is not available.

Score	Comment

Aspects	Score	Comment
1. Equipment 1		
2. Equipment 2		
3. Equipment 3		
4. Equipment 4		
5. Equipment 5		
6. Equipment 6		
7. Equipment 7		
8. Equipment 8		
9. Equipment 9		
10. Equipment 10		

Domain 30.5 FACILITIES AND INFRASTRUCTURE

Sub Domain 30.5.1 14 Management of buildings and grounds.

Standard 30.5.1.1 14(1) The health establishment and their grounds must meet the requirements of the building regulations.

Criterion 30.5.1.1.1 14(2)(d) The health establishment must as appropriate for the type of buildings and grounds of the establishment have ventilation systems that maintain the inflow of fresh air, temperature, humidity and purity of the air within specified limits set for different service areas such as theatres, kitchen and isolation units.

30.5.1.1.1.1 The unit has negative pressure ventilation system.

Assessment type: Observation - **Risk rating:** Vital measure

Negative room pressure is an isolation technique used to prevent cross-contamination from room to room. It includes a ventilation that generates "negative pressure" (pressure lower than of the surroundings) to allow air to flow into the isolation room but not escape from the room, as air will naturally flow from areas with higher pressure to areas with lower pressure, thereby preventing contaminated air from escaping the room. This system must be available in the isolation room.

Not applicable: Never

Score	Comment

Sub Domain 30.5.2 15 Engineering services.

Standard 30.5.2.1 15(1) The health establishment must ensure that engineering services are in place.

Criterion 30.5.2.1.1 15(2) The health establishment must have 24-hour electrical power, lighting, medical gas, water supply and sewerage disposal system.

30.5.2.1.1.1 Piped oxygen or Oxygen cylinder is available in the unit.

Assessment type: Observation - **Risk rating:** Non-negotiable measure

This is to ensure that users have access to oxygen when required. Verify whether piped oxygen or oxygen cylinder is available and functional in the unit.

Not applicable: Never

Score	Comment

--	--

30.5.2.1.1.2 Piped or portable suction is available in the unit.

Assessment type: Observation - **Risk rating:** Vital measure

This is to ensure that users have access to suction when required. Verify whether piped or portable suction is available and functional in the unit.

Not applicable: Never

Score	Comment

Official Sign-Off

The National Health Act, 2003 (Act No. 61 of 2003) provides for quality requirements and standards in respect of health services provided by health establishments to the public. The main objective is to promote and protect the health and safety of the users of health services and contribute to improved outcomes and improved population health.

To achieve this mandate standardised inspection tools aligned to Norms and Standards Regulations applicable to different categories of health establishments promulgated by the Minister of Health in 2018 have been developed for Tertiary Hospitals.

Acknowledgments

The Office of Health Standards Compliance wishes to extend heartfelt acknowledgment and gratitude to the following: who have contributed to the development of the Regulatory Tertiary Hospital Inspection Tools version 1.0

- Health Standards Development and Training unit team (Ms. Izelle Loots, Mr. Jabu Nkambule, Ms. Busisiwe Mashinini, Ms. Derelene Hans, Ms Charlotte Ndlovu and Ms. Andiswa Mafilika) for the development of the Tertiary Hospital inspection tools.
- The internal OHSC teams (Compliance Inspectorate, for their contribution during the development and piloting of the Tertiary Hospital inspection tools).
- National Department of Health for their input and comments on the inspection tools during the consultation phase.
- The Provincial Departments of Health for their input and comments during the consultation phase.

It is hereby certified that the Regulatory Tertiary Hospital Inspection Tools version 1.0 was developed by the Office of Health Standards Compliance.

SIGNATURE:

MS. WINNIE MOLEKO

EXECUTIVE MANAGER: HEALTH STANDARDS, DEVELOPMENT ANALYSIS AND SUPPORT

DATE: 09/05/2024

SIGNATURE:

DR MATHABO MATHEBULA

CHIEF OPERATIONS OFFICER: OHSC

DATE: 10/05/2024

SIGNATURE:

DR SIPHIWE MNDAWENI

CHIEF EXECUTIVE OFFICER: OHSC

DATE: 10/05/2024

Telephone: 012 942 7700
Email: admin@ohsc.org.za
Website: www.ohsc.org.za

Physical address:
The Office of Health Standards
Compliance,
79 Steve Biko Road,
Prinshof,
Pretoria
0084

Postal Address:
Private Bag X21
Arcadia
0007

ISBN:
978-0-620-90157-4

